

CP- UNR-4K4082-V2**8 Ch. H.265+ 4K Network Video Recorder****Main Features**

- Up to 8 channel IP camera input
- Smart H.265+/H.265/Smart H.264+/H.264 codec decoding
- Up to 8MP Resolution preview and playback
- Max 200Mbps incoming bandwidth
- Support 2 SATA HDDs up to 12TB, 2 USB(1 USB3.0)
- HDMI / VGA simultaneous video output
- Support Multi-brand network cameras
- ONVIF Version 2.4 conformance
- Mobile Software: iCMOB, gCMOB
- CMS Software: KVMS Pro



CP- UNR-4K4082-V2

8 Ch. H.265+ 4K Network Video Recorder



Feature

Processor
IP Camera Input
Operating System
Two-way Talk
User Interface
Video Output
Compression
Video Resolution
Video Recording
Video Display Split
OSD
Motion Detection
Video Loss
Camera Blank
Alarm Input
Alarm Output
Smart Phone
Hard Disk
Trigger Events
Recording Mode
Search Mode
Playback
Backup Mode
Interface Ports
Record Interval
Max User Account
Ethernet
Protocols

Specification

Dual-core embedded processor
8 channel
Embedded LINUX
1 channel Input, 1 channel Output, RCA
GUI
1 HDMI, 1 VGA
Smart H.265+/H.265/Smart H.264+/H.264
HDMI: 3840×2160, 1920×1080, 1280×1024, 1280×720, VGA: 1920×1080, 1280×1024, 1280×720
200 Mbps
1/4/8/9
Camera title, Time, Camera lock, Motion detection, Recording
MD Zones: 396(22×18).
Supports
Supports
4 Channel
2 Channel
iPhone, iPad, Android Phone
2 SATA III ports, up to 12TB
Recording, PTZ, Tour, Video Push, Email, Snapshot, Buzzer and Screen Tips
Manual, Schedule (Regular, Continuous), MD (Video detection: Motion Detection, Tampering, Video Loss), Stop
Time/Date, Alarm, MD & Exact search (accurate to second), Smart search
Play, Pause, Stop, Rewind, Fast play, Slow play, Next file, Previous file, Next camera, Previous camera, Full screen, Repeat, Shuffle, Backup selection, Digital zoom
USB Device/Network
1 HDMI, 1 VGA, 2 USB Ports(1 USB2.0, 1 USB3.0)
1~120 min (default: 60 min), Pre-record: 1~30 sec, Post-record: 10~300 sec
128 users
1 RJ-45 port (10/100M/1000Mbps)
HTTP, HTTPS, TCP/IP, IPv4/IPv6, UPnP, RTSP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, PPPoE, DDNS, SNMP, FTP, IP Search, ONVIF 2.4, SDK, CGI Conformant



CP- UNR-4K4082-V2**8 Ch. H.265+ 4K Network Video Recorder****Feature**

Power Supply

Power Consumption

Working Temp

Dimensions

Weight

Specification

DC12V/4A

<6.9W (Without HDD)

-10 ~+55°C / 10~90%RH / 86~106kpa

375mm x 281.5mm x 56mm

1.6kg (without HDD)