







3MP Camera

Designed to represent an enhanced picture quality in 3MP camera so that every detail can be viewed with vivid clarity and a pixilated video feed can be avoided.

4G

This Ezykam+ by CP PLUS does not even require installation hassles and you can easily place it on a mount, plug it in, connect using 4G network and you are good to go.






Motion Detection Alerts

This camera detects movements in the video frame and send alerts in real-time to always keep you not ed about what's happening at home.

Human Body Detection

Designed to provide human detection and intelligent alerts, which means only being alerted only when the need occurs as the camera detects people as opposed to animals, passing vehicles, or other inanimate moving objects.





Privacy Mode

Using privacy mode, you can block the camera view & recording of a specific area of your choice to maintain privacy.

Superior Night Vision

Provides full-color video even in low light. Using a bigger CMOS image sensor, this camera offers a wider contrast range allowing shadows and darker areas to be illuminated with perfect clarity as the sensor with bigger pixels collects more light, and more light improves the image quality even in the dark.





View & Talk

Enables you to stay in touch with your loved ones from anywhere, meaning you can also talk while viewing the live video feed on the phone.





Full-Color Night Vision

Infrared lights provide B/W images and the full-color mode works with white light to provide colorful images during the nighttime. Whereas, the smart mode keeps the infrared lights on and whenever motion is detected in the video frame, it switches to white light to work as an active deterrent.



Specification - V32G

Feature	Specifications
Image Sensor	1/3" CMOS Sensor (0.84667cm)
Video Compression	H.265/ H.264
Resolution	3MP
Minimum Illumination	Color: 0.1Lux, black and white 0.01Lux
Lens	4mm
Angle of View	104°
View Mode	HD and SD
DNR	3D digital noise reduction
Day-Night Mode	Smart Mode, Infrared Mode, Color Mode
Dynamic Range	Digital WDR
Stream	Main stream: 2304 x 1296, Sub stream: 640 x 360
Image Flip	Supported
Frame Rate	Max 15fps, frame rate self-adaption
Audio	Two Way Audio
Audio Input	Built in Mic
Audio Output	Built-in Speaker
Audio Compression	AAC, G711A
4G Standard	4G: LTE-TDD/LTE FDD
4G Frequency Band	FDD-LTE:B1/B3/B5/B8;TDD-LTE:B34 / B38/B39/B40/B41;WCDMA:B1/B5/B8

Feature	Specifications
Motion Detection	Supported
Alarm Notification Push	Supported
Human Detection	Supported
RTMP	Supported
Onvif	Supported
Privacy Mode	Supported
RJ45 Ethernet Port	10-100Mbps adaptive
IR Array Distance	20-30mtr
White Light Distance	Spot Light 15mtr
IR Array LED	6 white LEDs and 6 infrared LEDs, Twins -core LED
Storage	Micro SD Card (Max 256GB)
Weather Proof	IP66, TVS 4000V Lightning protection
Power Supply	DC 12V, 1A
Power Consumption	12W
Working Temperature	-20°C ~ 50°C
Working Humidity	<95% (no condensation)
Dimesion	214.7mm x 172.2mm x 125.4mm
Weight	0.35kg



Applications











Kids Safety

Office

Home

Retail Shops

Pet Safety